

A
CONCISE REPERTORY
OF
HOMOEOPATHIC MEDICINES
Alphabetically Arranged

Dr. S.R. Phatak, M.B.B.S.

**Fourth Edition
Revised & Corrected**

by
Dr. C. Jeevanandam



B. JAIN PUBLISHERS (P) LTD.

PREFACE

To the First Edition

Prescribing in Homoeopathy is both Science and Art. But it is a difficult Art. Good case-taking, sound knowledge of Materia Medica and skilful use of the reference books are the three prerequisites.

This repertory is intended to serve as a handy and useful reference book. It is an attempt to lessen the difficulties of the prescriber. No originality can be claimed in a book of this type, except that of presentation. There are advantages and disadvantages in the traditional type of repertory. The author feels that the present arrangement will minimize the disadvantages. Remedies for a particular rubric are reduced to minimum possible by a careful selection. No drug is given unless the author has used it in his own practice or unless there is strong justification provided for it, by authorities like Dr. Boger, Dr. Kent, Dr. Clark's Dictionary etc.

A concise repertory cannot take the place of exhaustive repertories of Kent, Boeninghausen and others. It is aimed at reducing the burden of the prescriber, in every sense of the word.

In this repertory, the headings mentals, generals, modalities, organs, and their sub-parts are all arranged according to their alphabetical order. All the physiological and pathological conditions such as appetite, aversions, desires, nausea, vomiting, thirst, fever, pulse etc. are also included in alphabetical order. Cross

**Plan of the
Book & How
to Use it**

references are given wherever necessary. In such arrangement there will be no difficulty in finding the appropriate rubrics. In each such rubric all important symptoms, their concomitants and their modalities are given. But the prescriber should not entirely depend on the particulars, for finding out the correct remedy. If he cannot find the correct remedy, according to the totality of symptoms, under the particular organ or sub-part of it, so much the better, otherwise he has to find the remedy considering the general conditions and general modalities. For all the general modalities, the words Agg. and Amel. are printed AGG. and AMEL. For the modalities under particular rubric only, there should be no difficulty in finding out as to which modality is general and which is particular. For example "Eyes closing Agg". Though this modality is given under eyes, it modifies the general symptoms as well as those of the eyes.

Dr. Boger has a remarkable knack of coining a general rubric from some particular symptom. (Those who have used his Synoptic Key must have noticed it). For example, take the rubric 'Awkwardness'. This symptom is given by Dr. Kent in his repertory under, 'Extremities'. There it shows that the patient either drops things from his hands or walks stumbling. But when Dr. Boger made it a general rubric, it means that the patient's mental and/or physical behaviour may be awkward. All such headings coined by Dr. Boger are included in this repertory. Not only that but the author himself has coined a few new headings from his own experience. For example the rubric "unsteady sensation". Once a patient consulted the author for this sensation. This patient, whenever he used to stand for more than a few minutes, used to feel unsteady, not giddy, but as if he was not standing firmly on the ground. The author found for him the remedy from those given under unsteady gait.

Every homeopathic practitioner is aware that modalities and concomitants are the most important factors for finding a

correct remedy. The author has garnered all useful modalities from different standard repertories and has included those in this book. The modality "Holding the breath Amel", is given only by Dr. Boenninghausen in his Therapeutic Pocket Book. This modality gave the author, once an opportunity to cure remarkably an ulcer on the dorsum of the foot due to Thrombo-angitis obliterans.

The repertories are compiled for finding out as far as possible a correct remedy by referring to the various symptoms given under various organs; along with the circumstances, conditions and timing which modify them. In order to arrive at the suitable remedy, the remedies given under a particular symptom are graded according to their importance. The prescriber, however, should bear in mind that every remedy--high grade or low grade becomes equally important when it is connected with peculiar concomitant or with and unusual condition or circumstance. **Repertorization does not mean Mechanical Repertorization. Totality of Symptoms does not mean Numerical Totality, but Qualitative Totality.** One peculiar concomitant or an unusual condition may determine the totality of the case.

Patients do not always tell their symptoms according to the rubric used in the repertory. Nor do they give all the information required by the prescriber. The prescriber has to find much of the information regarding modalities and concomitants by appropriate questioning and confirm it by cross-questioning. After this, the prescriber with his logical mind has to sift, evaluate and interpret the meaning of the symptom or symptoms correctly, to enable him to refer to the appropriate rubric in the repertory. All the modalities in a case are not equally important. The modality regarding the position or posture of a patient may sometimes be more valuable. If a patient says that he feels better only when he assumes some strange position, this condition should be considered first. This

modality is not given in any standard repertory, though some positions in sleep are given. But Dr. Boger with his remarkable knowledge of behaviour of drugs has coined a heading, "Attitudes bizarre" given under generalities. The meaning is obvious. The patient's disposition whether mental or physical is bizarre, i.e. strange or unusual. Again some modality may be common, but when associated, with the diseased condition, with which it has absolutely no connection, becomes uncommon or unusual. Once the author was consulted by a patient who was suffering from what is known as peripheral neuritis. He was not suffering from diabetes, nor were there any untoward incidents preceding that condition. The patient felt pain in both the legs, below the knees. The pain was better by moving the legs, while walking and by hard pressure. But the patient told the author that when he belched or passed flatus, he felt much relief. If the prescriber will try to find a remedy for this group of symptoms from any other repertory, he is probably liable to miss the mark. But Dr. Boger has given the modality "Passing flatus up and down, Amel" under the rubric "Flatulence". The author has elevated the rank of this particular to the general rubric.

The aversions, desires, mental attitudes, causation, have their own place in the selection of the remedy, when they are very marked. Causations will be found under Agg's either general or particular. Mental attitudes will be found under mental conditions. Sometimes the appearance of symptoms on one side, or going upwards or downwards etc., give a right clue to the selection of remedy, when they are very marked. All these conditions are given under 'Directions' of symptoms. The prescriber should be alert; he should look everywhere to arrive at the correct remedy.

Everything cannot be explained in the preface. But the author hopes, that the few instances given about will enable the prescriber to understand what to look, where to look, and

how to look. As said in the beginning, prescribing in homoeopathy is an Art. And one can only achieve sort of proficiency in this Art by constant and diligent study of the remedies given in various standard materia medica, with reference to their place value given in the repertory.

The author conceived the idea of preparing and arranging the repertory in one alphabetical order when he used to discuss the uses of various repertories with the **Story of This Book** doctors who came to him for guidance in the study of Homoeopathy. The repertory had also to be a concise and handy one. Though this idea took root, the author on account of his indifferent health was reluctant to undertake this task. But his friend Mr. S. L. Kapadi, who knew about the idea, unexpectedly came to his help. One day he came to the author with a skeletal copy of this work and asked the author to fill up the gaps, checks and recheck it. This skeleton work was prepared by Mr. Kapadi from author's rough draft, notes etc. of Marathi repertory. The author was surprised. This was more than what was expected from a layman.

The author had to consent. He arranged the work properly, rewrote it and made many additions. Dr. (Miss) Homai A. Merchant who used to come to the author for guidance in the study of Homoeopathy saw this hand-written copy. She herself very kindly offered to type it. The typed copy was lying with the author for nearly ten years. During this interval, many useful additions were made. But on account of various reasons, the author did not consider getting it printed. Mr. Kapadi induced my son to get it printed. When it was decided to publish it, my son approached Mr. D. P. Datay, who promised all help and undertook the composing work. The author had no choice left.

Dr. (Miss) Merchant again came to the rescue. When requested, very willingly she typed the whole work again for the press and made some valuable suggestions.

No work is ever complete. But it can be rightly claimed that considering the object of writing a compact, handy repertory useful for prompt reference, no effort was spared to make this work as complete as is possible.

Thanks are due to Dr. (Miss) Merchant of her neat typing. My son Dr. D. S. Phatak did the preliminary spadework. He went through all the cross references, looked the final proof carefully and deserves all praise.

**Thanks
giving**

The author does not know how to thank Mr. Kapadi, without whose preliminary help and persistence later, the book may not have seen the light of the day. Prescribers who find this book useful owe a great deal to this interest in it.

Finally the author is gratefully indebted to all those masters of Homoeopathy from whose works he has drawn freely to make this book as useful as possible.

The author is well aware of the mistakes which have crept in, inspite of careful proof reading. Lines under some rubrics are misplaced while printing. The prescriber is requested to correct the book as per errata and refer to the list of abbreviations when necessary.

Sept. 1963

S.R. Phatak

PREFACE

To The Second Edition

While compiling a Materia Medica as a companion volume to my repertory, I have had to go through different materia medicas written by various authors like Drs. Hering, Clarke, Boger, Boericke, Kent and many others.

While doing this I found many new clinical and pathological symptoms. So I have taken this opportunity to add these symptoms in this edition of my repertory. Very few changes were found necessary while revising the book.

My repertory was well received not only in India, but even abroad in America and England. The demand for it was persistent and increasing, but if my colleague Dr. P. Sankaran had not undertaken the responsibility of publishing it, the book in this second edition would not have seen the light so soon. Not only I thank him but users of this book must thank him also for this.

My friend Dr. (Miss) Homai Merchant has been kind enough to offer her services and type out the whole manuscript without a single murmur. For this I am grateful to her.

No repertory, whether exhaustive or concise, is ever complete. Yet, I hope this book will be more useful to prescribers to find the correct remedy in most of their daily routine cases. And if they know the techniques of Dr. Boger, they will have occasion to refer to the exhaustive repertories very rarely.

Lastly I must thank God for preserving me in spite of my old age and poor health to see this edition published.

Bombay, 21 Oct. 1977

S. R. Phatak

PUBLISHERS NOTE

To The Fourth Edition

A Concise Repertory of Homoeopathic Medicines by Dr. S.R. Phatak is an alphabetized re-working of Boger and Boenninghausen. The book is very popular and that is the reason that we keep on receiving a lot of suggestions for improvement of the book. Dr. C. Jeevanandam is one such intelligent reader who has been constantly advising us on corrections and change in style of presentation to make the next edition more user friendly. Impressed by his avid interest in the book we requested him to Revise and Correct the Third Edition. Dr. C. Jeevanandam is a great lover of homoeopathy and has tremendous admiration for Dr. Phatak's Repertory and it was the same spirit that he went through the book word by word to point out all the mistakes and design the new user-friendly format. The DTP & Editing of the Fourth Edition has been done under his able supervision. We at B. Jain are very grateful for his services which he did on voluntary basis.

The Changes Made for the Current Fourth Edition are as follows:

1. The text takes a new format, with distinctive style for each level of symptoms. The symptoms go up to five levels as the following illustration shows:

Level 1 **MAMMAE:** Bell, Bry: Carb-an; Cham; *Con*; Hyds; Iod; Lac-c; Merc; Oci-c; *Pho*; *Phyt*; Sabal; Sil; Urt.

Level 2 **Right:** Ign; Kali-bi; *Phel*; SIL.

Level 3 Below: Carb-an; Caust; Chel; CIMI; *Grap*; Laur; Lil-t; Merc-i-r; *Pho*; *Sul*; Ust.

- Jumping alive, as if+: Croc.
- Scapula, to: Merc.

Left: Bor; Bov; *Lil-t; Lyc; Phel.*

- Arms to fingers: Ast-r.
- Below: Ap; Bry; Bur-p; Cimi; Pho; Sul; Ust.
- Pain

- Level 4
- Cough, with: Mos.
 - drawn back, as if+: Croc.
 - dysmenorrhoea, with: Caus.
 - head, to: Glo.
 - jumping: Croc.
 - meals, after: Rum; Stro.
 - menses

- Level 5
- at: Grap.
 - between: Ust.

2. An important change is that now with successive levels, the symptoms of the previous level is fully repeated. For instance, one fourth level symptom in the above extract reads:

Mammae, left, pain, head to

In the original arrangement, only a few words from the higher level should be considered in constructing the symptom at a lower level. Sometimes the exact meaning of the symptom was difficult to construe. For instance, in the original version:

COUGH:

Walking, Fast Agg: Sep.

Amel: Canc-fl; Dros.

Could mean

Cough, amel by walking fast: Canc-fl; Dros.

This now appears as:

COUGH

Walking

Amel: Canc-fl; Dros.

Fast Agg: Sep.

3. In order to retain the natural language as far as possible, after the head word in a symptom, the sequence of the rest of the words have been rearranged, as far as possible.
4. Although the repertory is based on alphabetical arrangement, for major organs, rubrics on locations are arranged first followed by complaints and sensations. Among the locations, the right side is followed by the left. Wherever this arrangement was not followed, it has been corrected.
5. Similarly, in certain modalities pertaining to stools, menses, etc., the order of appearance, viz., before, during and after, has been consistently followed.
6. There are two types of alternating symptoms - (i) alternating sides within the same organ/location, and (ii) symptoms alternating with other organs. The first category comes under locations and the second under complaints. This has been uniformly followed.
7. Additions made by Dr. D.S. Pathak have been placed at appropriated places and duplications avoided. The additions are indicated by placing '+' after the symptoms. Addition of

remedies to the existing rubrics have also been indicated similarly.

8. Gradations of remedies have been restored to those of the original edition, wherever they differed.
9. The abbreviations follow those of Boger. In order to avoid confusion, a full list of abbreviation of remedies has been provided.
10. The cross reference within the same first level rubric is indicated by romans; where they refer to a different first level rubric, they are indicated the printing in CAPITALS.
11. Indication of general agg and amel in caps and particular agg and amel in romans has been consistently followed.
12. Each column begins with full details of the rubric. Where a rubric is broken between two columns, the continuation on the second column is indicated by the rubric head followed by two dots.
13. The header indicates the beginning and ending first level rubric word in each page.
14. In few cases, more than one abbreviation was found for the same remedy. This has been corrected.

Kuldeep Jain

ABBREVIATIONS And their Remedies

Ab-c	Abies Canadensis
Ab-n	Abies Nigra
Abro	Abrotanum
Abs	Absinthium
Acaly	Acalypha Indica
Acet-ac	Acetic Acid
Aco	Aconite
Act-sp	Actea Spicata
Adon	Adonis Vernalis
Aesc	Aesculus Hippocastanum
Aeth	Aethusa Cynapium
Agar	Agaricus Muscarius
Agn	Agnus Castus
Agrap	Agraphis Nutans
Ail	Ailanthus Glandulosa
Alet	Aletris Farinosa
Alfalfa	Alfalfa
All-s	Allium Sativum
Alo	Aloe
Alu	Alumina
Alum	Alumen
Alu-sil	Alumina Silicata
Amb	Ambra Grisea
Am-br	Ammonium Bromatum
Ambro	Ambrosia
Am-c	Ammonium Carbonicum
Am-caus	Ammonium Causticum
Am-m	Ammonium Muriaticum
Am-ph	Ammonium Phosphoricum
Amy-n	Amyl Nitrosum

Anac	Anacardium
Ang	Angustura Vera
Ant-c	Antimonium Crudum
Anthr	Anthracinum
Ant-t	Antimonium Tartaricum
Ap	Apis Mellifica
Ap-g	Apium Graeolens
Apoc	Apocynum Cannabinum
Aral	Aralia Racemosa
Aran	Aranea Diadema
Arg-m	Argentum Metallicum
Arg-n	Argentum Nitricum
Arn	Arnica Montana
Ars	Arsenicum Album
Ars-io	Arsenicum Iodatum
Ars-s-fl	Arsenicum Sulphuratum Flavum
Art-v	Artemisia Vulgaris
Aru-t	Arum Triphyllum
Asaf	Asafoetida
Asar	Asarum Europoeum
Ascl	Asclepias Tuberosa
Ast-r	Asterias Rubens
Atrop	Atropinum
Aur	Aurum Metallicum
Aur-m	Aurum Muriaticum
Avena	Avena Sativa
Bacil	Bacillinum
Bad	Badiaga
Bap	Baptisia Tinctoria
Bar-c	Baryta Carbonica
Bar-io	Baryta Iodata
Bar-m	Baryta Muriatica
Bell	Belladonna
Bels	Bellis Perennis
Benz	Benzenum

Benz-ac	Benzoicum Acidum
Benz-n	Benzinum Nitricum
Berb	Berberis Vulgaris
Berg-aq	Berberis Aquifolium
Bism	Bismuthum
Bor	Borax
Bor-ac	Boricum Acidum
Both	Bothrops Lanciolatus
Bov	Bovista
Brach	Brachyglottis Repens
Bro	Bromium
Bry	Bryonia Alba
Buchu	Buchu (Barosma Crenulatum)
Buf	Bufo
Bung	Bungurus Fasciatus
Bur-p	Bursa Pastoris
Cact	Cactus Grandiflora
Cadm	Cadmium Sulphuratum
Calad	Caladium Seguinum
Calc	Calcarea Carbonica
Calc-ac	Calcarea Acetica
Calc-ar	Calcarea Arsenica
Calc-f	Calcarea Fluorica
Calc-hyp	Calcarea Hypophosphorosa
Calc-io	Calcarea Iodata
Calc-p	Calcarea Phosphorica
Calc-pic	Calcarea Picrica
Calc-ren	Calculus Renalis
Calc-s	Calcarea Sulphurica
Calc-sil	Calcarea Silicata
Calend	Calendula
Cam	Camphora
Cam-ac	Camphoricum Acidum
Canc-fl	Cancer Fluviatilis
Cann	Cannabis Indica and Sativa

Canth	Cantharis
Caps	Capsicum
Carb-ac	Carbolicum Acidum
Carb-an	Carbo Animalis
Carb-s	Carboneum Sulphuratum
Carb-tetra	Carboneum Tetramuriaticum
Carb-v	Carbo Vegetabilis
Card-m	Carduus Marianus
Cast-eq	Castor Equi
Castr	Castoreum
Caul	Caulophyllum
Caus	Causticum
Cean	Ceanothus
Cedr	Cedron
Cench	Cenchrus Contortrix
Cep	Allium Cepa
Cham	Chamomilla
Chel	Chelidonium
Cheno	Chenopodium Anthelminticum
Chim	Chimaphila Umbellata
Chin	China Officinalis
Chin-ar	Chininum Arsenicosum
Chin-s	Chininum Sulphuricum
Chio	Chionanthus
Chlo-hyd	Chloral Hydrate
Chlor	Chlorum
Choles	Cholesterinum
Cic	Cicuta Virosa
Cimex	Cimex Acanthia
Cimi	Cimicifuga
Cina	Cina
Cinb	Cinnabaris
Cist	Cistus Canadensis
Clem	Clematis Erecta
Coca	Coca

ABDOMEN

Affections in general: Aeth; Arg-n; ARS; Bry; *Calc*; Carb-v; *Chin*; Colo; Ip; Lach; LYC; NUX-V; PHO; PUL; Sep; Sil; SUL; Ver-a.

Upper: Caus; *Cham*; Chin; Cocl; Nux-v; Pul.

- Drawn in: Thu.

Lower: See HYPOGASTRIUM

Sides: Asaf; Carb-v; Chin; *Ign*.

- Right: Ars; Lach; Lyc; *Rhus-t*

- heavy: Tab.

- left, to: Sep.

- Left: Alu; Arg-m; Asaf; Bro; Dul; Flu-ac; Hep; Plb; Rhe; *Sil*; Sul; Tarx.

- right, to: Nux-v.

- heavy objects in, as if: Lyc.

- rigidity: Nat-m.

- Alternating: Arn; *Pul*; Sul.

- Distension: Caus; *Nat-m*.

- Flowing towards genitals, from: Colo.

- Sticking, in: *Ign*.

- running, when: Tub.

Backward: Arn; ARS; BELL; Bor; Carb-v; *Chel*; Con; Cup; Fer; Kali-p; Lyc; Nux-v; PHO; Plb; Pul; Sep; Sul; *Tab*.

Chest, to: Aeth; *Cham*; Lach.

Forward, into: Thu.

Groins, to: Pul.

Ileo-caecal region: See APPENDICITIS.

Scrotum, to: Ver-v.

Thighs, to: Lil-t; Mag-p; Sabal; Sabi; *Stap*; Thyr.

Transversely, across: *Chel*.

ABDOMEN

Upward: Aco; ARS; Calc; *Carb-v*; Kali-bi; Kali-c; Lac-ac; Saba.

- Right: Aco; Kali-c; Mag-m; *Murx*; Seneg; Sep.

- Left: Alu; *Ign*; *Naj*; *Nat-s*; Spo; Zin.

- Diagonally: Lach.

Afternoon

- Agg: Am-m.

- Amel: Nat-s.

Alternating with

- Head: Alo; Bry; Calc; Cina; Pod; Thu.

- Chest: Radm; Ran-b.

- Ear: Radm.

- Eye: Euphr.

- Other organs: Bry; Colo; Nux-v; Radm; Ran-b.

Anxiety, emotions, felt in: *Ars*; Aur; Carb-v; *Cham*; Cup; *Kali-c*; Mez; Nux-v; Pho; Ver-a.

Ball: See Lump.

Band, about: Caus; *Chel*; Chio; Lyc; Nux-v; Plb; *Pul*; *Sul*.

Bandaging amel: Cup; Flu-ac; Nat-m; Nit-ac.

Breath holding agg: Dros; Spig.

Breathing deep

- Agg: *Arg-n*; Caus; Kre; Pul.

- Amel: Card-m; Flu-ac; Thu.

Bubbling: Lyc; Pul; Sul-ac; Tarx.

Burning in (See STOMACH): Caps; Caus; *Iris*; Manc; Terb; Ver-a.

ABDOMEN, burning in

- Digestive tract, whole: *Iris*.
- Hot coals, as from: *Ver-a*.
- Steam passing through, as if: *Ascl*.
- Water running down: *Chin*.

Changing about, in: *Dios*; *Mur-ac*; *Nux-v*.

Clawing: *Bell*; *Lyc*.

Coition, after agg: *Caus*; *Pho-ac*; *Ther*.

Coldness, in: *Amb*; *Ars*; *Cadm*; *Calc*; *Colch*; *Grat+*; *Kali-br+*; *Kali-c*; *Meny*; *Pho*; *Sec*; *Sep*; *Sul-ac*; *Ver-a*; *Zin*.

- Burning, with: *Pho*.
- Colic, with: *Calc*; *Kali-s*.
- Eating, after: *Pul*.
- Icy: *Colch*; *Crot-h+*.
- Pressure agg: *Meny*.
- Throat, rising to: *Carb-an*.

Concussion agg: *Bry*.

Contracted: *Mag-p*.

Contraction, hour-glass: *Rhus-t*.

Convulsive motions, spasms, after: *Buf*.

Coughing agg: *Anac*; *Ant-t*; *Bry*; *Dros*; *Lyc*; *Nux-v*; *Pall*; *Pho*.

Covers, but lifts clothes: *Bell*; *Lac-c*; *Lach*; *Lil-t*; *Pho*; *Sec*; *Stap*; *Tab*.

Diarrhoea, sense of: *Bry*; *Dul*; *Hyds*; *NUX-V*; *Pul*; *Ran-sc*.

Distended, tympanitic, inflated, etc: *Abro*; *Aco*; *Agar*; *Alo*; *ARG-N*; *Ars*; *CALC*; *CARB-V*; *Cham*; *CHIN*; *Cic*; *Coel*; *Colch*;

ABDOMEN, distended ..

Colo; *Grap*; *Hep*; *Hyo*; *KALI-C*; *Lach*; *Lil-t*; *LYC*; *Mag-c*; *Merc*; *Nat-c*; *Nat-m*; *Nat-p*; *Nux-m*; *NUX-V*; *Pho*; *Pho-ac*; *Raph*; *Rhus-t*; *Stram*; *Sul*; *Terb*; *Vario*; *Ver-a*.

- Children, in: *Bar-c*; *Calc*; *Caus*; *Sul*.
- Clothes
 - feel tight: *Mos*.
 - loosening amel+: *Onos*.
- Contracts, when touched: *Colch*.
- Epilepsy, before: *Cup*; *Lach*.
- Fontanelles open, with: *Sil*.
- Hard: *Kali-c*.
- Hot: *Merc-d*.
- Hysterical: *Tarx*.
- Legs, cannot stretch: *Colch*.
- Lying agg: *Carb-v*
- Menses, during: *Chin*; *Cocl*; *Kali-c*; *Nat-c*; *Sul*.
- Milk, after: *Con*.
- Operation, after: *Carb-an*; *Hypr*.
- Painful: *Aco*; *Ars*; *Bry*; *Caus*; *Lach*; *Merc*; *Rhus-t*.
 - amenorrhoea, with: *Castr*.
- Parturition after: *Lyc*; *Sep*.
- Pregnancy, as if+: *Vario*.
- Sides+: *Caus*; *Nat-m*.
- Stools
 - after: *Carb-v*; *Grap*; *Lyc*.
 - amel: *Hypr*.
- Sudden: *Nat-m*.
- Whooping cough, with: *Kali-s*.

Drawing, as if: *Caps*; *Pul*; *Sep*.

ABDOMEN

Drawn, involuntarily: *Val.*

Drinking Water

- Agg: Ars; Pho; Zing.
- Ice-cold
 - agg: Calc-p; Nux-m; Rhus-t.
 - amel: Elap.
 - impure: Zing

Dropsy, ascites (See DROPSY):

Acet-ac+; Ap; Apoc; Ars; Aur; Hep+; Lyc; Mur-ac; Scil: Terb.

- Cirrhosis of liver, from: Mur-ac.
- Diarrhoea, frequent attacks, with: Sil.
- Menses, suppressed, from: Senec.
- Pelvic region, fold on, with: Colch
- Suffocation, lying on left side: Ap.
- Urination scanty, with: Scil.

Eating

- Amel: Anac; Bov; *Chel*; *Grap*; Hep; Ign; Kali-p; Lach; Mag-m; Med; Petr; *Zin*.
- Fruits agg: Lyc.
- Too much agg: Ant-c; Cof; Ip; Nux-v; *Pul*.

Empty: See Hollow.

Eruclation

- Amel: Amb; Bar-c; Rat.
- No amel from: *Chin*; Lyc.

Eye symptoms, with: Arg-n.

Fasting amel: Caus; Sil.

Fat: Am-m; *Chel*.

Fats agg: Carb-v; *Pul*.

ABDOMEN

Fist of a child moving, as of:
Conval; *Nat-c*; *Sul*; THU.

Fermentation in: Chin; Lyc.

Fever, in agg: Ip; Ver-a.

Flabby: See Weak.

Flatus passing

- Agg: Aur; Canth; Flu-ac; Scil.
- Amel: Hep; Nat-m; Tarn.

Food, stale agg: Ars.

Formication: Plat.

- Voluptuous: Plat.

Fullness: *Carb-v*; *Chin*; Dig; *Grap*; *Kali-c*; Kali-m; LYC; NUX-V; Pho; Pho-ac; SUL.

- Food, small quantity+: Mur-ac.
- Full of water, as if: Crot-t; Hell; Pho-ac.
- Gurgling in: ALO; *Crot-t*; Gamb; Old; *Pod*; Pul; SUL.
- Stools, gushing, then: Alo; *Crot-t*; GAMB; Iris; Jat; *Nat-s*; Pho; Pod; Sec; *Sul*; Thu; Ver-a.

Hand, placing on agg: Psor; Zin-chr.

Hanging or falling down, as if:
Acet-ac; Laur; Nat-m; Pho; Pod; *Sep*.

- Walking, when: Nat-m.
- Walks, therefore
 - bent: Carb-v.
 - carefully: Nux-v.

Hard: Bar-c; Bar-m; Calc; *Grap*; *Merc*; *Sil*.

- Body, moving in, as if: Bor; Lyc.

ABDOMEN

Heart, with: Merc-i-f.

Heavy: *Alo*; Am-m; Cup; *Grap*; Kali-c; Lyc; *Nux-v*; *Pul*; Sep; *Spig*; Stap.

- Right: Tab.
- Left: Lyc.
- Menses, during: Kali-s.

Holds: Agn; Lil-t; Merc; Rhus-t; Sep; Stap.

Hollow, empty, sinking sensation: Arg-n; Cocl; Ip; Old; PHO; *Pod*; Pul; Sec; SEP; *Stan*; Stap; Sul-ac; *Tab*.

- Bowels, knotted feeling with: Cham.
- Gnawing: Ox-ac.
- Stools, after: Petr; Pho; Pod; Sul-ac.
- Amel: Mur-ac.

Hot food and drink amel: Lyc; Mag-p; *Nux-v*; Sul-ac.

Inactive: See Paralysis.

Inflammation, peritonitis: Aco; *Ant-t*; ARS; Bell; *Bry*; Colch; Hyo; *Ip*; Lach; Laur; Lyc; *Nux-v*; PHO; *Pul*; Pyro; Rhus-t; Terb; Til.

- Cold application amel: Calc.
- Tuberculous: Abro.

Kneading by hand amel: Nat-s.

Knots, lumps, felt in: Abro; Ars; Bism; Ign; Plb; Saba; Sec.

Laparotomy, after: Bism; Hep; *Nux-v*; Op; Raph; Stap.

Legs, extending amel: Phys.

Lifting agg: Bry.

Limbs, with: Aeth.

Lime boiling in, as if: Caus.

ABDOMEN

Lumps, balls in, as if: Anac; Kre; *Nux-v*; *Rhus-t*; Sul; Thu; Ust; Verb.

- Moving rapidly in: Saba.
- Rising, to throat: ARG-N; Raph.
- coughing when: Kali-c.

Lying on

- Back, with knees drawn up amel: Bry; Lach; Rhus-t.
- Left side, amel; Scil.
- Stomach, amel: Rhus-t.

Milk

- Amel: *Grap*; Merc; Mez; *Nux-v*; Rut; Ver-a.
- Hot amel: Crot-t.

Motion amel: Chin; Petr.

Moving up and down, something in: Lyc.

- Convulsions, after: Buf.

Numb: Aco; Bry; *Plat*; *Pul*; Sars.

Pain

- Boring, grinding: Flu-ac; Plb; Polyg; Sars; Stan.
- Cutting: Bell; *Bry*; Chin; *Colo*; Dios; Ip; *Mag-c*; Merc; Nit-ac; *Nux-v*; *Polyg*; *Pul*; Rhe; *Sul*; Ver-a.
- Flatus passing on: Con.
- Gnawing, eating, ulcerative: Bell; *Carb-v*; Colo; Lyc; Pho; Sep.
- Griping, cramp, colic: *Bell*; *Cham*; Cocl; COLO; Cup; *Dios*; Ign; Kre; *Mag-m*; NUX-V; OP; *Plb*; Polyg; Radm; Rat; Sul; Val; *Ver-a*; Zin.

ABDOMEN, pain, griping

- arms, raising agg: Cup.
- associated symptoms, with: Plb.
- backache, with: Sars.
- cold drinks agg: Manc.
- coryza, stopped, after: Calc.
- diarrhoea agg: Phys.
- eating
 - amel: Psor.
 - after+: Val.
- eructations, with: Mag-p.
- habitual, in children: Bar-c.
- nightly: Calc; Cham; Chin; Lyc.
- riding in carriage agg: Carb-v.
- stools, hard amel: Ust.
- trembling and chattering of teeth with: Bov; Meph.
- yellow hands and blue nails, with: Sil.
- Hysterical: Stan.
- Indefinite, dull, aching: Ars; Colo; Cup; Lept; *Nux-v*; Plb; Pod; Pul; Rhus-t; Sep; Ver-a; Ver-v.
- Menses, instead of: Spo.
- Nausea, after: Latro.
- Paralytic+: Grat.
- Pinching: Ran-b; Tell.
- Radiating: Ip; *Mag-p*; Plb.
- Smarting, rawness: *Ars*; Bell; Canth; *Nux-v*; Ran-b.
- Sore spot in: Arg-n; Bar-c; Bism; *Kali-bi*; Pho; *Rhus-t*.
- Menses
 - after: Pall.

with: Ham.

B JAIN & SHER PVT LTD

ABDOMEN, pain

- Spasmodic: Caus.
- Stitching: *Bry*; *Ip*; *Sul*.
- Tearing, shooting: *Ars*; *Cham*; *Colo*.
- Uncovering agg: *Rhe*.

Paralysis of intestines: *Bry*; *Con*; *Lyc*; *Mag-m*; *Nux-v*; *Op*; *Pho*; *PLB*; *Rhus-t*; *Tab*; *Thu*.

- Laparotomy, after: *Op*.

Pressure

- Agg: *Ars*; *Bry*; *Calc*; *Chel*; *Merc-c*.
- Amel: *Arg-n*; *Castr*; *COLO*; *Cup*; *Plb*; *Stan*.
- Clothes, of agg: *Arg-n*; *Bov*; *Calc*; *Lach*; *Lyc*; *Nux-v*.
- Right hand on stomach, left hand on lumbar region
amel: *Med*.

Protrudes, here and there: *Thu*.

Pushing: *Thu*.

Quivering, in: *Calc*; *Con*; *Iod*; *Nux-v*; *Sabi*; *Sul-ac*.

Restlessness, uneasiness: *Ars*; *Calc*; *Ip*; *Pho*; *Sep*.

Retracted, sunken: *Ap*; *Calc-p*; *Cup*; *Hyds*; *Kali-br*; *PLB*; *Ver-a*; *Zin*.

- Cholera, in: *Kali-br*.
- Constipation with: *Carb-ac*.

Retraction

- Agg: *Ant-t*; *Asar*; *Nux-v*; *Zin*.
- Amel, distending agg: *Ign*.
- Involuntary: *Val*.
- Vomiting, during+: *Ver-a*.

Rolling something, in: *Lyc*.

ABDOMEN

Rubbing

- Amel: *Nat-s*; *Pall*; *Pho+*; *Pod*.
- Gently with warm hand
amel: *Lil-t*.

Rubs: *Aran*; *Kali-c*; *Mag-c*; *Nat-c*; *Pho*; *Plb*.

Rumbling, in: See FLATULLENCE, noisy.

Shocks, in: *Agar*; *Bry*; *Nux-v*.

Singing agg: *Pul*.

Sitting crooked amel: *Sul*.

Sneezing agg: *Pul*.

Squeaking, in+: *Kali-io*.

Squeezing, in: *Ant-t*; *Cocl*; *Colo*; *Scop*; *Stap*.

Standing

- Agg: *Nat-p*.
- Amel: *Thu*.

Stiff: *Lil-t*; *Rhus-t*.

Stones in, as if: *Ant-t*; *Calc*; *Cocl*; *Colo*; *Hyds*; *Nux-m*; *Osm*; *Pul*; *Scop*; *Sep*.

- Sharp: *Cocl*; *Colo*.

Stools

- Amel: *Colch*; *Colo*; *Gamb*; *Mag-c*; *NUX-V*; *Stan*; *Ver-a*.
- After, agg: *Petr*; *Pho*; *Pod*; *Sul-ac*; *Ver-a*.
- Hard, amel: *Ust*.

Stream of fire, passing through during stools+: *Ascl*.

Stretching, with: *Plb*.

String, about: *Chel*.

Sugar agg: *Arg-n*; *Ign*; *Ox-ac*; *SUL*.

ABDOMEN

- Summer agg:** Guai.
- Sunken:** See Retracted.
- Swashing in, as if:** Rhus-t.
- Sweet things agg** (See Sugar Agg): Zin.
- Talking unbearable:** Caus; Helin; Kali-c; Laur.
- Tension:** Ap; Arn; Bar-c; Calc; Caps; CARB-V; Chin; Colch; COLO; Cup; Hep; Lil-t; Lyc; Mos; Plb; Rhus-t; Scop; Sep; Sil; Sul.
- Menses, during: Colo; Grap; *Nux-m.*
- Thread, moving rapidly in:** Saba.
- Throbbing, pulsations:** *Ant-t*; Calc; *Nux-v*; PUL; *Sele*; Sep.
- Aneurism, from: Bar-m.
 - Deep in: Aesc.
 - Eating agg: Sele.
 - Here and there: Cann.
 - Pregnancy, during: Sele.
 - Sleep, preventing: Sele.
- Tight clothes**
- Agg: Caus.
 - Amel: Flu-ac; Nat-m; Nit-ac.
- Tobacco smoking amel:** Colo.
- Trembling in:** See Quivering.
- Tumour:** Con.
- Ulcer, ulcerative feeling:** Kali-bi; Pho; Ran-b.
- Uncovering:**
- Amel: Cam; Med; Sec; Tab; Vip.
 - Arms or legs Agg: Rhe.
- Uneasiness:** See Restlessness.

ABDOMEN

Urination

- While agg: Cham; Colo; Ip; Merc.
- After agg: Eup-pur.
- Amel: Carb-an; Dios; Sep; Tarn.

Urine, diminished secretion of, during pain: Arn; Grap.**Vomiting**

- Agg: Grap; Merc; Stap; Ver-a.
- Amel: Arg-n; Ars; Asar; Hyo; Plb; Tab; Tarn.

Water

- Cold, flowing through: Kali-c.
- Full of, as if: Crot-t; Hell; Pho-ac.
- Hot, flowing or pouring in: Chin+; Sumb; Sang.

Weak: Arg-n; *Ign*; *Merc*; *Pho*; Sul-ac.

- Eructations amel: Kali-m.

Weight, load, pressure: Agar; Arn; Ars; *Bry*; Calc; Cham; Chin; Hyo; Lyc; *Nux-v*; *Pul*; Sep; Sil; *Sul*.**Yawning**

- Agg: *Ars*; Phyt.
- Amel: Lyc; Nat-m.

ABDOMEN EXTERNAL: Ap; Bry; Merc; *Nux-v*; Plb; Sele; Sul.**Brown spots on:** Lyc.**Bruised, sore:** Aco; *Ap*; Ars; *Bell*; Bry; Chin; *Lach*; Lyc; Merc-c; NUX-V; Ran-b; Stan; Sul; Terb.**Cold to touch:** Kali-s; Merc.**Cracks on skin:** Sil.

ABDOMEN EXTERNAL

Hard: Sil.**Hot:** Sil

- Clothes on as from: Nit-ac.

Motions, spasmodic: Cup.**Muscles**

- Emaciation of: Plb.
- Twitching : Sec.

Pendulous, enlarged: Alu; Calc; Carb-v; Caus; Colch; Sanic; Sep; Sil; Sul; Syph; Tub; Vario.

- Children, of: Alu; Bar-c; Calc; Sanic; Sil.
- glands, swelling of, with: Mez.
- Girls, at puberty: Calc; Grap; Lach; Sul.
- Mothers, of: Iod; Nat-c; Sep.
- Navel: See NAVEL, inflated.

Red: Sang.

- Spots on: Hyo.

Sweat on: Amb; Anac; Cic.**Yellow spots on:** Kob; Pho**ABORTION:** Ap; Bell; Cham; Croc; Erig; Gel; Ip; Nux-m; Pul; SABI; SEC; SEP; VIB.**After**

- AGG: Helo; Kali-c; Lil-t; Murx; Pyro; Rut; Sabi; Sec; Sep.
- Haemorrhage: Sabi.
- Urinary troubles: Rhe.

Exertion, from: Erig; Rhus-t.**Habitual:** Alet+; Ap; Bacil; Caul; Fer; Lyc; Plb; Sil; Syph; Thu.

- Second month: Ap; Cimi; Kali-c; Vib.

ABORTION, habitual

- Third month: Bell; Plb; Sabi; Sep; Thu; Ust.
- Fourth to seventh month: Sep.

Mental shock or depression, from: Bap.**Preventive:** Rat; Vib+.**Sexual frequency, from:** Cann.**Tenesmus recti agg:** Bell; Calc; Cocl; Con; Ip; Lyc; Merc; Nux-v; Rhus-t; Sep; Sul.**Threatened+:** Asar.

- Falls, from+: Arn.

Weakness, from sheer: Merc; Sil.**ABRUPT:** Cham; Med; Nat-m; Plat; Tarn.**ABSCESS (Suppuration):** Arn; Ars-io; Bell; Calc; Calc-io; CALC-S; Calend; Cist; Echi; HEP; Kali-s; LACH; Lyc; MERC; Pho; Pul; Pyro; Rhus-t; SIL; Sul; Sul-ac; Sul-io; Syph; Tarn.**Blind:** Lyc.**Bloody:** Crot-h.**Bluish:** Tarn-c.**Bones**

- About: Asaf; Aur: Calc-f; Calc-hyp; Calc-p; Flu-ac; Guai; Pho; Pul; Sec; Sil; Stap; Symp.
- In: Guai.

Burning: ANTHX; ARS; Pyro; TARN-C.**Chilly, within:** Merc.**Chronic:** Calc-f; Iod; Merc; Sil; Stram; Sul.

ABSCESS

Cold: Ol-j.

Deep: Calc; Caps; Tarn.

Exertion physical, from: Carb-ac.

Fibrinous parts, of : Mez.

Glands of: Bell; CALC; *Calc-s*; Carb-an; Dul; HEP; Kali-io; Lyc; MERC; Nit-ac; *Pyro*; *Rhus-t*; SIL; *Sul*; Syph; *Tub*.

Impending, suppressed: Ars; Bell; Calc; *Hep*; Kre; Lach; Lyc; Merc; Sil.

Joints, about: Calc-hyp; Merc; Pho; Psor; Sil.

Menses, at: Merc.

Multiple, during fever: Ars; Hep; Sil.

Psoas: Chin; Sul; Symp.

Recurrent: Anthx; Calc-s; *Pyro*; *Syph*.

- Fever, after: Pho-ac.

Slow: Hep; *Merc*; Sil.

Submental: Stap.

To Hasten: Guai; *Hep*; *Merc*; Phyt; Sil.

Vesicles, on: Rhus-t.

ABSENTMINDED, absorbed, buried in thought: Aco; *Ap*; Arn+; *Asar*; Bov+; Calc-p; Cann; CAUS; CHAM; Hell; *Lac-c*; Lach; *Laur*; Mez; Nat-m; *Nux-m*; *Old*; Pho; *Plat*; PUL; SEP; Sul; Ver-a.

As if in dream+: Anac.

As to what will become of him: Nat-m.

Menses, during: Mur-ac.

ABSENT, parts of body were:
Cocain.

ABSORBENT ACTION: Arn; Kali-io; Merc-d; *Sul*; Sul-io.

ABUSIVE, scolding, quarrelsome: *Aur*; CHAM; Dul; Hyo; *Ign*; Kali-io; LYC; Merc; Mos; Nit-ac; *Nux-v*; *Petr*; Plat; Ran-b; Rat+; Rut+; Sep; Sil; Stap; Sul; *Tarn*; Ver-v+.

Angry, when not+: Dul.

Children and family, to: Kali-io.

Himself and his family with+:
Kali-c.

Husband, to : Thu.

Menses, before: Cham.

Mother, to: Thu.

Pains, at his+: Cor-r.

Person, absent+: Lyc.

Somebody on the road, to: Con.

Until the lips are blue, eyes stare, and she falls fainting:
Mos.

ACHING : See PAIN, aching.

ACIDITY : See SOUR.

ACIDOSIS : Nat-p; Pho.

ACNE : See ERUPTIONS.

ACRIDITY : See DISCHARGES, acrid.

ACROMEGALY: Pit-ext; Thyr.

ACTINOMYCOSIS: Hecla; Kali-io; Nit-ac.

ACTIVE, agile: Ap; Cof; Lach; *Nux-v*; Stram, Tarn; Val.

Mentally: COF; OP.

Restless, hence agile+: Chel.

ACTIVE

When, amel: Con; Cyc; Helo; *Lil-t*.

ACTIVITY FRUITLESS: Ap; Arg-n; Bor; Calc; Kali-br; *Lil-t*; Stan; Tarn; Ther.

ACTS as if born tired: Onos.

ACUMINATE, conical, growth, eruptions etc: Ant-c; Ant-t; *Ars*; Hyds; Pul; *Sil*; Syph.

ADDISON'S DISEASE: Calc; Calc-p; Iod; Nat-m; Pho; Sil.

ADENOIDS: Agrap; Calc; Cal-io; *Calc-p*; Iod; *Merc*; Tub.

Post nasal : Mez.

Removal after: Kali-s.

ADHERENT, internal sensation: Berb; *Bov*; *Bry*; Calc; *Colo*; Hep; *Ign*; Kali-bi; Kali-io; Merc-c; *Nux-v*; Ol-an; Osm; *Pho*; Plb; Pul; RHUS-T; Rum; SEP; Ust.

ADMONITION AGG: Bell; Kali-c; Nit-ac; Plat.

ADYNAMIA: See WEAKNESS.

AEROPLANE, flying in AGG: *Ars*; Bell; Bor; Coca; Petr.

AFFECTATION: Stram.

AFFECTIONS, stifled: Sep.

AFTERPAINS: *Arn*; *Cham*; *Cimi*; Cup; Hypr; Kali-c; PUL; *Rhus-t*; *Sabi*; Sec; Vib; Xanth.

Child nurses, when: Arn; Cham; *Sil*.

Fear of death, with: Cof.

Frequent: *Rhus-t*.

Headache, with: Hypr.

- Intolerable : Cham; *Cimi*.
- Lochia, with+ : Xanth.

AFTERPAINS

Violent, persistent: Vib.

Women, who had borne many children, in: Cup.

AGILITY: See ACTIVE.

AGITATION: See EXCITEMENT.

AGONY, anguish: *Aco; Ars; Aur; Bell; Calc; Caus; Cann; Dig; Hep; Lach; Plat; Stram; Ver-a.*

Cannot rest in any place: Ars.

AGORAPHOBIA: *Aco; Arg-n; Arn; Calc; Hyd-ac; Nux-v; Sep.*

AGUE: See FEVER, intermittent.

AIR

Blowing on part, through hole as if, or fanned as if:

Aur; Cam; Chel; Chin; Cor-r; Croc; Culex; FLU-AC; Helod; HEP; Lac-d; Laur; Lil-t; Med; Mos; Naj; Nat-m; Nux-v; Petr; Sele; Sep; Sul; Syph; Ther; Thu; Thyr; Zin.

Clear, dry or cold weather

AGG: *ACO; Ars-io; Asar; Bry; Carb-an; CAUS; Cham; Hep; Ip; Kali-ar; Kali-c; Med; NUX-V; Samb; Sep; Spo.*

Close, too, as if: Sars.

Cold, as if: *Benz-ac; Chin; Lac-d; Laur; Lyss; Mez+; Mos; Thyr.*

Draft agg: See WIND agg.

Hot, as if: *Ast-r; Bry; Kali-c; Pul; Sul; Ver-a.*

Hunger: See Open air amel.

- Flatulency, with: *Kali-io; Zin.*

Impurities, full of, as if: Trifo.

Inspiring cold

- **AGG:** *Aesc; Am-c; Ars; CAUS; Cimi; Cist; Hep;*

AIR, inspiring cold, agg ..

Hyds; Hyo; Ign; Merc; Nux-v; Psor; Rum; Saba; Seneg; Sep; Syph.

- **AMEL:** *Sele*
- **Feels:** *Lith.*

Night or evening AGG: *Aco; Am-c; Carb-v; MERC; Nat-s; Nit-ac; Sul.*

Open Cool

- **AGG:** *Am-c; Aran; Calc; Calc-p; Cam; Caps; Caus; Cham; Chin; Cist; Cocl; Cof; Colch; Cyc; Dul; Guai; Hep; Ign; Kali-bi; Kali-c; Mag-p; Merc; Nat-c; Nit-ac; Nux-m; NUX-V; Petr; Pho; Rum; Saba; Seneg; SIL; Sul; Urt; Vio-o.*
- **AMEL:** *Bap; Bry; Nit-ac; Plat; Radm.*
- **And in house, both AGG:** *Ars; Aur; Iod; Mez.*

Open amel, in room agg, air hunger etc:

Alu; Ap; Arg-n; Ars; Ars-io; AUR; Cann; Carb-v; Cep; CROC; Fer; Glo; Grap; Iod; Kali-io; LACH; Lil-t; Lyc; Mag-c; Mag-m; Med; Nat-s; Op; Pru-sp; PUL; Radm; Rhus-t; Saba; Sabi; Seneg; Sul; Tab; Tarn; Tub.

- **Riding in carriage, amel:** *Arg-n; Naj.*

Penetrating, too: *Calc; Cimi; Colo.*

Smoky, as if: *Berb; Bro.*

Thick and heavy, as if: *Agn.*

Too much enters the chest, as if: *Chlor; Ther.*

AIR Castles: Arg-n; *Cann*; Chin; Cof; Sul.

AIR HUNGER: See AIR, open, amel.

AIR PASSAGES

Burning: Ars-io; Sang; Seneg.

Numb: Sil.

AIR-SICKNESS: See AERO-PLANE flying agg.

ALBUMINOUS, glairy: See DISCHARGES.

ALBUMINURIA: Ant-c; *Ap*; *Ars*; Aur; Bry; Calc-ar; *Canth*; *Fer*; Glo; Hell; Kali-c; Lac-d; Lach; Lyc; *Merc-c*; Nat-c; Nat-p; *Pho*; Pho-ac; Phyt; *Plb*; Pul; Rhus-t; *Sul*; Terb; Thu; Val.

Alcohol, after abuse of: *Ars*; Carb-v.

Diphtheria, after: Phyt.

Heart disease, from: Calc-ar.

Periodical: *Pho*.

Pregnancy

- During: *Ap*; Bur-p; Helo; *Merc-c*; *Pho*.

- During and after delivery: *Merc-c*; Pyro.

Septic: Carb-v.

ALCOHOLIC DRINKS

Abolishes taste for+: Strop.

AGG: See under FOOD & DRINKS.

ALCOHOLISM

Acute: Aco; Bell; *Op*.

Delirium tremens: Agar; *Ars*; Caps; *Cimi*; HYO; Lach; Nat-m; Nux-m; Nux-v; *Op*; STRAM; Stry.

ALCOHOLISM

Later: Carb-v; Nux-v.

- Recurrent: Anac; Aur; Bell; *Chin*; Hyo; Nux-v; *Op*; Stram; Thu.

ALIVE

Sensation as if something in:

Calc-p+; *Cann*; *Caus+*; Cocl; CROC; Cyc; *Ign*; *Op*; Pul; *Sabi*; Sil; *Sul*; THU.

Walls, floor, etc, on: Cocl.

ALL-GONE sensation: See EMPTY.

ALONE, WHEN AGG: See COMPANY Amel.

ALTERNATE DAYS on agg: See DAY, alternate Agg.

ALTERNATIONS

Mental: Alu; Aur; *Bell*; Croc; Con; Fer; IGN; NUX-M; *Plat*; Stram; Sul-ac; Val; *Ver-a*; Zin.

- With physical: Arn; Cimi; Croc; *Ign*; Lil-t; *Murx*; Plat.

Nervous, with physical: Saba.

ALTERNATING effects, states, sides, metastasis: Abro; Agar; Alo; *Amb*; Ant-c; Arn; *Ars*; Bell; Berb; *Cann*; *Cimi*; Cocl; Croc; Cup; Fer-p; Glo; *Ign*; Iris; LAC-C; Lach; LYC; *Pho*; Psor; *Pul*; Sep; Stram; SUL; Sul-ac; Val; Xanth; Zin.

Contradictory: *Ign*; Nat-m; *Pul*.

Digestive and Skin+: Grap.

Rapidly: Croc.

Reaction, want of, with: Val.

AMAUROSIS: See VISION, paralysis of optic nerve.

AMBITION, loss of (See INDOLENCE): Arg-n; Caus.

Disappointment, from: Nux-v.

AMENORRHOEA: See MENSES, absent.

AMMONIACAL ODOUR: See DISCHARGES.

AMNESIC APHASIA: See APHASIA

AMOROUS, amative, erotic, lascivious: Agn; *Canth*; HYO; Lach; Lil-t; Lyc; Murx; Orig; *Pho*; Pic-ac; *Plat*; Scil: *Sele*; Senec; Stan; Stap; Stram; *Ver-a*.

Menses, before: Stram.

ANAEMIA: ARS; CALC; *Calc-p*; CHIN; FER; Fer-ar; *Grap*; Kali-c; Lac-d; Lyc; Mang; Med; Nat-c; NAT-M; *Nit-ac*; *Nux-v*; *Pho*; Pic-ac; Plat; Plb; *Pul*; Senec; Sep; SUL; Sul-ac.

Grief, from: Nat-m; Pho-ac.

Haemorrhage, after: *Chin*; *Fer*.

Pernicious: *Ars*; *Pho*; Pic-ac; Thyr.

ANALGESIA: See NUMBNESS.

ANASARCA (See DROPSY): Ant-c; Ap; Ars; Bell; Bry; Chin; Colch; Dig; Dul; Fer; Hell; Kali-c; Led; Lyc; Merc; Op; Pho; Pul; Rhus-t; Sabi; Samb; Sars; Scil; Sul.

Sudden : Kali-n.

ANEURISM: Aur; Bar-c; Cact; Calc-f; Carb-v; Kali-io; Lach; Lyc; Pul; Sul; Thu.

Anastomosis, from: Thu.

Aorta, of: Spo.

Pains, of: Gal-ac; Sec.

ANEURISM

Small, all over body: Plb.

ANGEL when well, devil when sick+: Bell.

ANGER, vexation, irritability, fretfulness, bad temper: Aco; Anac; *Ant-c*; Ant-t+; Aru-t; Aur; *Bry*; Calc; CHAM; *Cina*; Cocl+; *Colo*; Hep; *Ign*; Iod; Ip+; Kali-c; Kali-io; Kali-m; *Kre*; LYC; Mag-c+; Nat-c; *Nat-m*; *Nit-ac*; NUX-V; Op+; Petr; Pho; Rut; Saba; Samb; Senec; *Sep*; *Stap*; *Sul*; Sul-ac; Syph; Tarn; *Thu*; Thyr; Tub; Val; Zin.

Always+: Stap.

Bright light agg: Colch.

Consolation agg: Ign; Nat-m; Sep; Sil.

Easy+: Ab-c; Dros; Radm.

Fits of violent: Mos+; Stro; Tub.

• Beats anything in way+: Stro.

Menses, before: Cham.

Odours agg: Colch.

Pain agg: Ant-t.

Self, about+: Elap.

Sympathy agg: Sabal.

Touched, when: Ant-c; Sanic; Tarn.

Trifles, at: Dros; Kali-m; Pho; Sanic; Sep; Tub.

Understood, when not: Laur.

Waking on: Kali-c; LYC; Pho; Sanic; Tub.

ANGINA PECTORIS: Agar; Am-c; *Amy-n*; Ap; *Arn*; ARS; Arg-n; *Cact*; Chin-ar; Cimi; Cup;

ANGINA PECTORIS ..

Glo; Kalm; *Lach*; *Latro*; Lil-t; *Naj*; Nux-v; *Ox-ac*; Pho; Pru-sp; Rhus-t; *Spig*; *Spo*; *Tab*.

Constriction of throat, with+: Tab.

Hot Drinks amel: Spig.

Lies on knees, with body bent backwards: Nux-v.

Pain, excessive: Agar.

ANGLES: See SKIN, folds.

ANIMATION: See CHEERFUL.

ANKLES: Caus; Led; Lyc; Nat-m; Rhus-t; Rum; Sep; Sul.

Break: Pho.

Burning: See Heat.

Calf, to: Meny.

Caries of bones: Guai; Pul.

Cold: Calc-f; Ign; Mag-m; Med.

Cracking, in: *Canth*; Nit-ac+.

Cramp: Meny; Plat; Rum; Zin-io.

- Feet pressed on floor, amel: Zin-io.

- Toes, into: Nat-c.

Eruptions, on: Calc; Chel; Nat-p; Psor.

Fistulous opening: Calc-p.

Give way, afternoon+: Cham.

Heat: Kali-bi; Nat-c.

Heavy: Ant-c; Crot-t; Cup; Led; Nit-ac; Sec; *Sul*.

- Painful: Cup.

Inflamed: Mang.

Itching: Nat-p; Led; Sele.

Jerking: Calc.

Lameness: *Rut*.

Nervous: Mag-m.

ANKLES

Night agg: Mag-m.

Numbness: Lac-c.

Paralysis: Abro.

- Sensation of: Dros.

Sprain: Anac; *Led*; Nat-c; Rut; Stro.

- As if: Pru-sp.

Stiffness: Caus; Chel; Lathy; Sil; Sul.

Sweat, on: Crot-h; Naj.

Swelling: Ap; Arg-m; Arg-n; Asaf; Chel; Med; Stan; Stro.

- Cold+: Asaf.

- Diabetes, in: Arg-m.

- Evening: Kali-chl.

- Foot, cannot use: Asaf.

- Painful: Led.

- Sitting long, after: Rhus-t.

Tension: Caus; Merc; Pho.

Toes, to: Nat-c.

Tumours: Cup-ar.

Turned easily: Med.

Ulcers: Calc-p; Hyds; Syph.

Upwards: Guai.

Walking

- Agg: Lith; Med; Nit-ac.

- Amel: Caus.

Weak: Calc; Carb-an; Mang; *Nat-c*; *Nat-s*; *Nit-ac*; *Pho-ac*; *Sec*; *Sil*; Stro.

- Children, while learning to walk: *Carb-an*; Mang; Nat-s.

ANNOYED easily+: Ant-t.

ANOREXIA: See APPETITE Lost.

ANSWERS

Aversion to: See AVERSION.

ANSWERS

Hastily+: Rhus-t.

Imaginary questions: Pho.

Irrelevently: Hyo; *Pho*; Stram; *Sil*.

Monosyllable: Pho-ac; Pul; Sep.

Nods by: Pul.

Refuses to: Cam; Pho; Sul.

Reluctantly+: Rhus-t.

Repeats question, then: Zin.

Slowly: Arn; Bap; Cocl; Gel; Hyo; Lyc; *Merc*; *Pho*; *Pho-ac*; Rhus-t; Thu; Zin.

Then sleeps: Arn; *Bap*; *Hyo*; Pho-ac.

ANTAGONISM WITH SELF:
Anac; Bar-c; Cann; Kali-c.

ANTHRAX: Anthr; Ars; Echi; Lach; Sec.

ANTHROPOPHOBIA, bashful
(See SHY): Amb; Anac; BAR-C; Cocl; HYO; Iod; Kali-io; Kali-p; *Lyc*; Nat-c; Nat-m; PUL: *Rhus-t*; *Sil*.

ANTICIPATIONS

And agg from: *Arg-n*; Ars; Carb-v; *Gel*; Lyc; Med; Nat-m; Pho-ac; Plb; *Sil*.

Diseased conditions of: Ap; Ars; Bry; Chin; Chin-s; Nat-m; Nux-v.

ANTISOCIAL: Syph.

ANUS: Aesc; Carb-v; Grap; Kali-c; Lach; Mur-ac; Nit-ac; Nux-v; Paeon; Pho; Saba; Sep; *Sul*.

Aphthous: Sul-ac.

Ball, sensation of a: *Sep*.

ANUS

Bubbles: Colo; Nat-m.

Bug crawling, as if: Aesc; Ferio; Sul.

- Stools, after: Kali-m.

Burning: Scop; Sul-ac.

Contracted, painfully: Plb.

- Prolapse, after: Mez.

Cramps, when sitting: Mang.

Crusts: Paeon; *Petr*.

Desire to draw in: Agar.

Discharge black, with or without stool: Merc-i-f.

Drawn up: Plb.

Dry: Aesc; Rat.

Eruptions: Merc; NAT-M; *Nit-ac*; PETR; Polyg.

- Eczema: Berb.
- Hard, small: Caus.

Excoriated: Carb-v; Caus; Grap; Lyc; Sul.

Fissure: Alu; Caus; Cham; GRAP; *Ign*; Led+; Nat-m; NIT-AC; Paeon; *Rat*; Sep; Sil; Syph; *Thu*.

- Bleeding: Grap.
- Children, tall, in: Calc-p.
- Deep+: Arn.
- Infants, in: Kali-io.
- Ulcerate: Grap.

Fistula: Aur-m; Berb; Calc; Calc-p; Carb-v; Kali-c; Nit-ac; Paeon; Sil.

- Itching, with: Berb.
- Palpitation, with: Cact.
- Pulsating: Caus.

Fluid, warm, escaping from: *Aco*.

ANUS

Formication: Calc; Calc-s; Kali-c; Kali-m; Saba; Sul.

- Worm, as from: Cinb.

Hammering: Lach.

- Menses, with: Lach.

Itching: Carb-v; *Caus*; Coll; Flu-ac; Grap; *Lyc*; Mar-v; Med; *Nit-ac*; *Saba*; *Sul*; Vio-o.

- Alternating with itching in nose and ears: Saba.
- Around: Petr; Sul.
- Coition, after: Anac.
- Eczematous: Nit-ac.
- Menses, before: Grap.
- Pain, ending in: Zin.
- Pimples: Polyg.
- Pinworms, from+: Urt.
- Sleep, preventing: Mar-v.
- Stick, as if, with a: Rum.
- Sticking and+: Aco.
- Stools, after: Kali-m; Tell; Zin.
- Stooing, on: Arg-m.

Liver, to: *Dios*; Lach.

Long after stool: Nit-ac; Paeon.

Loose: See Open.

Moisture, at: ANT-C; *Caps*; *Carb-an*: Carb-v; *Caus*; Grap; *Hep*; NIT-AC; *Op*; PHO; *Sep*; *Sil*; *Sul*; Sul-io.

- Bloody: Ap.
- Constant: Sep.
 - staining yellow: Ant-c
- Flatus, from: Ant-c; Carb-v.
- Foul: *Ant-c*; Hep; Paeon: Sul-io.
- Menses, during: Lach.

ANUS, moisture

- Mucus from
 - bloody: Op.
 - foul: Hep.
 - staining yellow: Ant-c.
 - urinating when: Carb-ac.

Navel, to: Colo; Lach.

Open, inactive, powerless: Ail; ALO; Alu; *Ap*; Ign; Kali-c; Op; PHO; Sec.

- As if: *Ap*; Pho.
 - and stools pass right through: Apoc.

Plug in, as if+: Kali-bi.

Pricking: Cact.

Pouting, swollen and: Cham.

Pustules, small, hard: Caus.

Raw: See Sore.

Red: Med; Petr; Sul.

- Fiery: Med.

Retracted: Kali-bi; Nat-p; Op.

Sore: Kali-m; Lyc.

- Menses, during: Mur-ac.
- Stools, from: Kali-m.
- Walking, when: Kali-m.

Sweat: Sep.

Torn, as if: Erig.

- Warm cloth amel: Pho.

Trembling, in: Con.

Ulcer: *Carb-v*; Cham; *Kali-bi*; *Nit-ac*; *Sul*.

Warts, around+: Aur.

Wiping agg: Grap.

ANXIETY: See FEAR.

Others, for: Ars; Coel; Pho; Sul.

APATHETIC: See INACTIVE.

APATHETIC

Unequal struggling, adverse circumstances, with: Pho-ac.

APATHY: See INDIFFERENCE.

All Pervading+: Bry.

APHASIA: See SPEAKING, lost.

Amnesic: Kali-br; Plb.

APHONIA: See VOICE, Lost.

APHTHAE: See MOUTH

APOPLEXY: ACO; Ant-c; Ant-t; ARN; Ars; Aur; Bar-c; Bell; Calc; COCL; Cof; Fer; Gel; Glo; HYD-AC; Hyo; Ip; Kali-m; Lach; Lyc; Nux-v; OP; Pho-ac; Pul; Rhus-t; Samb; Sep; Stram; Thu; Ver-a; Ver-v.

Pulse

- Irritable, with: Aco.
- Slow, full, face red, pupils small: Op.
- Small, weak, face bluish, pale: Lach.

Subarachnoid: Gel.

Waves of congestion, burning, throbbing, holds head: Glo.

APPARITION: See VISION, fantastic.

APPENDICITIS (Ileo-caecal region): ARS; *Bap*; Bell; BRY; Carb-v; *Chin*; COLO; LACH; Lyc; *Merc-c*; Mur-ac; *Nux-v*; *Pho*; Pho-ac; Plb; Pul; RHUS-T; SEP; SUL; THU.

APPETITE

Affected in general: Ant-c; Ars; *Calc*; CHIN; *Cina*; Grap; Iod; *Lyc*; Merc-cy; *Nat-m*; NUX-V; Petr; Pho; PUL; Sil; Strop; SUL; Ver-a.

APPETITE

Capricious, variable: Calc; *Cina*; *Coc-c*; Fer; Grap; *Iod*; Lach; Merc; Nat-m; Petr; *Pho*; Syph.

Easy satiety: Chin; Cyc; Lyc; Plat.

Increased, hunger: Ab-c; Arg-m; Ars; *Calc*; *Chin*; CINA; Grap; Iod; *Lyc*; *Nat-m*; *Nux-v*; Old; Petr; Pho; Psor; Pul; *Saba*; Sep; Stan; Stap; *Sul*; Ver-a.

- 11 A.M.: Hyds; Pho; SUL; Zin.
- Alternating with loss of appetite: Anac; Calc; *Cina*; *Fer*; Pho.
- Attacks of sickness, before: Bry; Calc; Hyo; *Nux-v*; *Pho*; *Psor*; Sep.
- Chill:
 - before: *Cina*.
 - during: Ars; Sil.
 - after: Ars.
- Cough, during: *Nux-v*.
- Diarrhoea, with: *Nux-v*; Petr.
- Digestion weak, with: Merc.
- Eating:
 - after: Chin-ar; CINA; Iod; Kali-p; *Lyc*; Murx; PHO; Phyt; Sars; Sil.
 - no desire, for: Op.
- Epilepsy, before: Calc; Hyo.
- Fever
 - during: Chin; *Cina*; *Pho*.
 - after: Ign.
- Headache
 - before: Epip.

APPETITE, increased, headache

- with: Bry; Kali-c; Kali-s; *Pho*; PSOR; Sele; Sep.
- Knows not, for what: Mag-m; Pul.
- Menses, during: Spo
- Nausea, with: Petr; Val; Ver-a.
- Navel, from: Val.
- Nightly: Chin; Lyc; *Pho*; *Psor*.
- Pain in stomach, with: *Lach*; Lyc; Sil.
- Ravenous: Ars; *Calc*; Cann; CHIN; CINA; Grap; IOD; Lyc; Nat-m; *Nux-v*; Old; Petr; PHO; PSOR; Pul; Rum: *Saba*; *Sil*; Spig+; SUL; *Ver-a*; Zin.
- meals, 2 hours after: Calc-Hyp.
- more he eats, more he craves: Lyc.
- Refuses to eat, but: Bar-c.
- Relish, without; NAT-M; Old; *Op*; *Rhe*; *Rhus-t*.
- Sleep, prevents: Chin; Ign; Lyc; *Pho*.
- Spine, from: Lil-t.
- Stomach full, when: Stap.
- Stool, after: Alo+; Kali-p; *Petr*.
- Sudden: Sul.
- Sweat, after: Cina.
- Sweets only, for: Kali-p.
- Vanishes
 - attempting to eat, on: Sil.
 - drinking water, after: Kali-m.
 - food, sight of: Caus; *Pho*; *Sul*.
 - smell or thought of, during pregnancy: Caus.

APPETITE, increased

- Vomiting
 - during: Caus.
 - after: Cina.
- Wait for food, cannot: Lach
- Weakness, with: *Pho*; *Sul*; Zin.
- Loathing, after first bite:** Caus; Cyc; Lyc; Plat; Pru-sp; Rhe.
- Lost, diminished, wanting:** Alu; Ars; Calc; Cham; Chel; CHIN; Cocl; Cyc; Fer; Kali-bi; Lyc; Nat-m; *Nux-v*; *Pho*; Pic-ac; Psor; *Pul*; *Rhus-t*; Sep; Sil; Sul.
- Brain troubles, in: Hell.
- Coition, after: Agar.
- Complete and early: Merc-cy.
- Day, only in: Arn
- Drinking water, after: Kali-m.
- Food, at the sight of: Colch; Kali-p; *Pho*; Sul.
 - pregnancy, during: Caus.
 - until it is tasted, then ravenous: Lyc.
 - during pregnancy: Saba.
- Habitual: Kali-m.
- Hunger, with: Chin; Cocl; Nat-m; *Nux-v*.
- Illness, severe, after: Ant-c; Psor.
- Lifting agg: Sep.
- Months, for: Syph.
- Neither eats nor drinks for weeks+: Ap.
- Overwork, from: Calc.
- Returns
 - eating mouthful, after: Calc; *Chin*; Saba.

APPETITE, lost, returns

- thinking of food after: Calc-p.
- Sadness, from: Plat.
- Suddenly, eating, when: Bar-c.
- Thirst, with: Psor; Rhus-t.
- Tobacco, from: Sep.
- When desired thing is offered: Ign.

Nibbling: *Aeth*; Calc; Mag-c; Mag-m; Nat-c; Petr; Rhus-t.

ARMS (Upper limbs): Am-m; Ars; Bell; *Calc*; *Caus*; Cocl; Fer; Kali-c; Lyc; Merc; Nux-v; Pho; Pul; RHUS-T; Sep; *Sil*; SUL.

Right: Bell; Bism; Bry; Calc; Caus; Colo; Grap; Nat-c; Ransc; Sars; Sec; Sil; Stro.

- Dead: Scop.
- Heart affections, in: Ars; Kalm; Merc-i-f; Merc-i-r.
- Holds, during palpitation: Aur.
- Longer than body, as if: Cup.
- Motion, involuntary: Cocl.
- Numb: Lach; Mur-ac.
 - aphasia, with: Mur-ac.
 - neuralgia, over left eye, with: Mur-ac.
 - then left: Zin-io.
- Writing agg: Merc-i-f.

Left: Anac; Arn; Asaf; Cact; Cimi; Kali-c; Nit-ac; Rhus-t; Sabi; Scil; Stan; Stram; Sul.

- Bound to the side, as if: Cimi.
- Jerking all day: Cic; Cimi.
- Numb: Cact.
- Pinching: Kali-c.
- Shakes, epilepsy, before: Sil.

Alternating between: Aco;

ARMS, alternating between ..

Alu; *Calc*; Caus; Cham; Chin; *Cocl*; Colch; *Lac-c*; Lyc; Mag-m; Mang; Plat; Sep; *Zin*.

Upper: Cocl; Fer; Nat-m.

- Bone: See HUMERUS.
- Burning: Ther.
- Coldness: Ign.
- Contraction: Nat-m.
- Cramps, writing while: Val.
- Drawing: Lyc.
- Electric shocks, as if: Agar; Val.
- Emaciated: Nit-ac.
- Fluttering in, while resting on table: Phyt.
- Heavy: Alu; Latro.
- Numb: Cact; Latro; Mag-m.
- Raise, cannot: Sang.
- Singing agg: Stan.
- Thumping pain in middle: Anac.
- Weak: Stan.
- Writing agg: Val.

Fore: Calc; Caus; Merc; Phyt; Rhus-t; Stap.

- Blue: Bism.
- Bone, exostosis of+: Dul.
- Cold: *Grap*; Med; *Pho*.
 - icy: *Bro*.
 - menses, during: Arg-n.
- Crushed, as if: Guai; Gymn.
- Drawing: Calc; Card-m; Caus; Rhus-t.
- Heavy: Arg-n; Mur-ac; Pho-ac; Strop.
- Hip, left, with: Merc-i-f.
- Moving the fingers, agg: Asaf.

ARMS, fore

- Numb: Grap.
- Paresis, contraction of fingers, with: Arg-m.
- Pronated: Cup; Plb.
- Trembling:
 - coition after: Nat-p.
 - writing while: Caus; *Merc*.
- Writing agg: Merc-i-r; Ran-b.

Alterting with lower limbs:

Cocl; Fago; Kali-bi; Kali-m; Kalm; Nat-c; *Sil*; *Val*; Visc.

Bend, irresistible desire to:
Fer.

Boils: Bro; Petr.

Bones: Asaf; Chin; Rhus-t; Sil; Stap.

Breathing deep agg: Cann.

Burning: Ver-a.

Chest, keeping on agg: Psor.

Clawing: Lach.

Cold: Bell; Kali-chl; Pho; Pul.

- Diarrhoea, during: Pho.

Cough agg: Dig.

Cramp: Am-c; Calc; Colo; Old.

Emaciated: Iod; Lyc; Plb.

Extended

- As if he has intended to take hold of something: Dul; Pho.
- Flexed and, alternately: Cic; Cup; *Lyc*; Tab.

Fall, helpless: Colch.

Floating, as if: Pho-ac.

Formication: Aco; Sec.

Fuzzy (R): Phyt.

Grasping amel: Lith.

Hairy: Med.

ARMS

Hanging down:

- Amel: Aco; Arn; Bar-c; CON; *Fer*; Led; Lyc; Mag-m; Pho; Rhus-t; *Sang*; Sil; Sul.
- Forceless+: Aco.

Has many, as if: Pyro.

Heaviness: Arg-n; Caus; Con; Gel; Kali-p; Nat-m; Plb; Pul; Strop.

- Right: Am-c.

Hot water flowing on, as if: Rhus-t.

Itching: Bov; Caus; Sul; Tell.

Jerking up: Cic; Cina; Saba; Stram; Sul.

- Outwards: Arg-n.
- Towards each other: Ip.
- Upwards: Arg-n.

Lameness: Bell; Calc; Sil.

- Right: Fer; Sang.
- Left: Bro.

Laughing agg: Carb-v.

Lifting weight amel: Spig.

Light, as if: Pho-ac.

Motion of

- Agg: Anac; Dig; Led; Nat-m; Ran-b; Rhus-t; Sep; *Spig*; Sul.
- Behind him agg: Fer; Ign; Kali-bi; Mar-v; Pul; *Sanic*; *Sep*.
- Clutching: Hyo.
- Constant, of one: Bry.
- Involuntary, of arm and leg+: Cocl.
- To and fro: Op.

Nervous: Rhus-t.

Numb: Aco; Ap; Cocl; Grap;

ARMS, numb ..

Kali-c; Kali-m; Lyc; Ox-ac;
Plat; Rhus-t; Zin.

- Right: phyt; Scop.
- then left: Zin-ar.
- Left: Aco; Cact; Dig; Lach;
Naj; Rhus-t; Spig; Sul.
- heart diseases, in: Aco;
Cact; Latro; Rhus-t.
- Carrying anything, when:
Amb.
- Grasping, anything firmly:
Cham.
- Holding anything, in the
hand: Ap.
- Lain, on: Carb-v; Kali-c;
Nat-m; *Pul*; *Rhus-t*.
- not lain on: Flu-ac; Mag-m.
- Lying agg: Sul.
- Raising them upright amel:
Ars; Pul.
- Shoulder to fingertips: Ox-ac.

Paralysis

- Right: Am-c; Cup; LYC; *Sul*;
Zin.
- Left: Calc; *Dig*.
- Tongue paralysis of, with:
Caus.
- Writing, from+: Agar.

Pronation, agg: Petr.**Purring:** Sep.**Raising**

- Laterally agg: Syph.
- Up agg: Ap; Arg-n; Bar-c;
Berb; Bry; Cocl; CON; Dig;
Fer; Grap; Led; Mag-c; Nit-
ac; Ran-b; Rhus-t; Sanic;
Sang; *Spig*; *Sul*; Sul-ac; Tell.

Rat running upwards: *Bell*;
Calc; Sul.

ARMS

Red spots on: Saba.

Restless: Agar; Ant-t; Caus;
Kali-br; Mur-ac; Samb; Tarn.

- Sleep, during: Caus.

Separated from body, as if:

Bap; Daph; Psor.

Shocks: Cic.

Short, as if: Aeth; Alu.

Sinking down: Nat-m

Sleeps, with arms apart:
Cham; Psor.

Sticky: Cam; Carb-v; Pic-ac.

**Stiff, become, before convul-
sions:** Buf.

Stretched

- Palpitation, with: Cocl.
- Right angle, at: Op.
- Spasmodically, clenched fin-
gers, with: Chin.

Supination agg: Cinb.

Sweat amel: Thu.

Swinging: Cina.

- To and fro amel: Sang.

Swollen+: Ver-a.

Tension: Dig.

- Writing, while: *Mag-p*.

**Thighs, puts on, when cough-
ing:** Nic.

Throws wildly: Kali-br.

Tingling: Grap; Pho; Sil.

Trembling: Merc; Nit-ac; Op;
Plb.

- Concomitant, as a: Calc-p.
- Lain on: Cam.
- Taking hold of anything: Ver-
a
- Urinary difficulty, with: Dul.

ARMS, trembling

- Writing, while: *Merc.*

Turning

- Agg: Sang.
- Amel: Spig.

Twisting sensation: Bell.

Twitching: Cic; Thu.

Ulnar nerves, along, both+:
Pod.

Veins: Nux-v; Plb; *Pul*; Thyr.

Weakness: Aesc; Anac; *Bell*;
Calc; *Cic*; Con; Dig; Elap; KALI-
C; Stan; Sul; Val.

- One of, after apoplexy:
Cadm; Pho.
- Right: Am-c.
- Taking hold of something:
Ars.

Wind

- Blowing, as if, shoulders to
fingers: Flu-ac.
- Cold, blowing on, as if: Ast-r.

Writing agg: Merc-i-f.

- Amel: Zin-ar.

ARROGANCE: See PRIDE.

ARTERIO SCLEROSIS+: Sumb.

ARTHRALGIA (See JOINTS): Arg-
m; Plb; Symp.

ARTHRITIS DEFORMANS: Arn;
Ars; Aur; Caus; Cimi; Colch;
Cup; Guai; Hep; Iod; Kali-io;
Merc; *Pul*; Radm; *Sabi*; Sul.

ASCENDING

AGG: Ars; Aur; Bor; *Bry*; *Calc*;
Iod; Merc; Nat-m; Nit-ac;
Nux-v; Pho; *Pul*; Sep; *Spo*; Sul.

AMEL: Con; Fer; Rhod; Val.

ASCENDING

Steps AGG: Stan.

ASCITES: See ABDOMEN, dropsy.

ASKS FOR NOTHING: Bry; *Op*;
Pul; Rhe.

ASLEEP SENSATION: See
NUMBNESS.

ASPHYXIA

Charcoal fumes, from+: Bov.

Neonatorum: Ant-t; Cam; Laur.

- Loss of blood, in mother
from: Chin.

ASSOCIATED EFFECTS: Ars;
Cham; *Merc*; *Nux-v*; Pho; *Pul*;
Sep; Sul; Tarn; Ver-a.

ASTHENOPIA: See under VISION.

ASTHMA (Bronchial): Aco; Amb;
Arg-n; ARS; Ars-io; Cup; *Ip*;
Kali-ar; *Kali-c*; Kali-n; *Lach*;
Lob; Merc-i-r; *Nux-v*; PUL;
Samb; *Sil*: SPO; Stan; Stram;
Sul; Tab; Terb; Thu; Tub; Visc.

Bed, turning in agg: Ars.

Bending

- Head backwards amel: *Spo*;
Ver-a.
- Shoulders backward amel:
Calc-ac.

Cardiac (See RESPIRATION
difficult): Cact; Chin-ar; Laur;
Naj; Psor; *Spo*; Sumb.

Catarrhal: Calad; Caps.

Coition agg: Amb; Asaf; Kali-bi.

Cold, preceded by+: Sul.

Constitutionally: Calc; Iod; Sul.

ASTHMA

Consumptives, of: Meph.

Coryza

- With: Arg-n; Just; Nat-s; Spo.
- After: Just; Naj.
- summer, in: Ars.

Cough

- With: Calad; Nat-m.
- After: Pho.

Diarrhoea

- After: Kali-c.
- Alternating, with: Kali-c.
- Then: Nat-s.

Digestion disturbed, after:
Sang.

Drunkards, of: Meph.

Dust, inhalation of+: Poth.

Dysuria at night, with: Solid.

Eating

- Amel: Amb; *Grap*.
- Satisfying agg: Asaf.

Eructation amel: Carb-v; Nux-v.

Eruptions, alternating with:
Calad; Hep; Kalm; Sul.

Exertion excessive, from: Sil.

Expectoration amel: Ant-t;
Calad; Hypr; Ip; Stan; Zin.

Fog agg: Hypr.

Foot sweat, suppressed, from:
Ol-an.

Fright, after: Samb.

Full moon+: Spo.

Goitre, in: Spo.

Hay fever, of: Ars; Aru-t; Chlor;
Iod; Naj; Sep.

Hives, from: Ap; Pul.

Humid: Cann; Dul; Kali-bi;
Nat-s; Seneg; Sul.

ASTHMA, humid

- Weather agg: Bar-c; Syph+.

Hysterical: Coel; Ign; Lob; *Mos;*
Nux-m; Nux-v; Pul.

- Tears, ending in flow of:
Anac.

Ice water agg: Meph.

Infantile: Med; Vib.

Injury to spine, from: Hypr.

Itching, with: Calad; Cist; Saba.

Laughing agg: Ars.

Menses

- Absent, with: Spo.
- During, waking from sleep:
Cup; *Iod; Lach;* Spo.
- Scanty, with: Arg-n.

Miner's: Card-m; Nat-ar.

- Coal: Sul.

Nervous: Cham; Kali-p; Mag-p;
Stram.

Night from 1 a.m. to 4 a.m.:
Syph.

Odours, from: Asar; Sang.

Old people, in: Amb; *Ars;* Bar-
c; Bar-m; Carb-v; Coca+; Con;
Seneg.

Overheated, after being: Sil.

Rheumatism, with: Benz-ac;
Visc.

Rocking amel: Kali-c.

Sailors, on shore: Bro.

Sexual excitation, with: Nat-c.

Sitting up, amel+: Naj.

Skin disease, with: Ip.

Spasmodic: Val.

Stools amel+: Poth.

AVERSIONS, dislikes

Acids, sour things: Bell; Cocl; Dros; Fer; Saba; *Sul*.

Alcoholic stimulants: Hyo; Ign; Rhus-t; Strop.

Ale: Nux-v.

Amusement: Bar-c; Hep; Lil-t; Old; *Sul*.

Answer, to: *Glo*; *Hyo*; *Nux-v*; *Sul-ac*.

Apples: Lyss.

Approached, or being touched: ANT-C; Arn; CHAM; Cina; Con; Cup; Ign; Kali-c; Lyc; Tarn; Thu.

Bananas: Bar-c; Elap.

Bathing to: See BATHING.

Bed: Cedr; Grap.

Beef: Merc; Ptel.

Beer: Chin; Cyc+; Fer; Lyc; Nux-v.

Black things: Tarn.

Brandy: Ign; Merc.

- Brandy drinkers, in: Arn.

Bread: Chin; Con+; Cyc; Kali-c; Lil-t+; Lyc; NAT-M; Nit-ac; Pul; *Sul*; Tarn.

- Butter, and: Mag-c; Meny; Nat-p.

Brilliant objects: Buf.

Business: See Work.

Butter: Ars+; Chin; Cyc; Hep; *Pul*; Sang.

Cheese: Arg-n+; *Chel*; Old.

Children: Lyc; Plat.

Chocolate: Osm; Tarn.

Cocoa: Osm.

Coffee: CALC; Cham; Chel+;

AVERSIONS, coffee ..

Flu-ac; Lil-t+; Merc+; Nat-m+; NUX-V; *Sul-ac*.

- Smell of: *Sul-ac*.

Coition, to: See COITION and FEMALES.

Colours

- Black, red, yellow, green: Tarn.

- Red: Alu

Company: See COMPANY agg.

Conversation: Chel.

Covers, to: Aco; Cam; Iod; Pul; Sec; *Sul*.

Disturbed being: Bry; Gel.

Drinks

- Hot: Kali-s.
- Thirst, with: Hell.

Education: *Sul*.

Eggs: Fer; Kali-s.

- Odour, of: Colch.

Everything, for: Ant-c; Canth; Merc; Pul.

Farinacious food: Ars; Pho.

Fats: Ars+; Chin; Cyc; Kali-m; Merc+; Nat-m; *Petr*; *Pul*.

Fish: Colch; *Grap*; Pho; Zin.

- Salted : Pho.

Fluids, all+: Stram.

Food: ARS; Chin; Cocl; Colch; Fer; Ip; Lil-t; NUX-V; Pul; Senec; Tub.

- Best and digestible: Carb-v.
- Boiled: Calc.
- Certain: Pul.
- Every kind, of: Kali-io+; Plat; Tub+.
- Fried: Plb.

AVERSIONS, food

- Hot: *Chin*; Merc-c; Sil.
- Hunger, with: Cocl; Nat-m; Nux-v.
- Diarrhoea, chronic, in: Ant-c; Ars; Chin; Nux-m; Pho; Pul.
- Loathing, disgust, with: *Ant-c*; Arn; Ars; Cham; *Colch*; Cyc; Ip; *Kali-c*; Nux-v; Op; Pul; Sep.
 - all+: Asaf; Cocl.
 - animal food: Sil.
 - convalescence, during: Kre.
 - eating, when: Nux-m.
 - suddenly: Bar-c; Pul; Rut.
 - first bite, after: Rhe.
 - rich: Kali-m.
 - sadness, from: Plat.
 - salty: Sele.
 - seen, if: ARS; Colch; Nux-v; Pho; Sil.
 - smell of: Ant-c; Ars; Cocl; Colch; Ip; Nux-v; Pho.
 - solid: Coca; Fer; Stap.
 - thinking, of: Ars; Carb-v; Nux-m; Zin-chr.
 - warm: Chin; Grap; Ign; *Pho*; *Pul*; Sil.

Friends: Colo; Led.

- Pregnancy, during: Con.

Fruits: Bar-c; Ign.

- Sour: Fer.

Fuss, to: Nat-m.

Garlic: Saba.

Going out: Cyc.

Green things: Mag-c.

Gruel: Ars; Calc.

Herring: Pho.

Herself: Lac-c.

AVERSIONS

Ice cream: Radm.

Liquids: Grap; Hyo; Nux-v.

Literary persons: Sul.

Marriage: See MARRIAGE.

- Females: Nat-m.

Meat: Arn; Ars+; Calc; Calc-s; Chel+; Chin; Cyc; Fer; *Grap*; Hell; Manc+; Merc+; *Mur-ac*; Nit-ac; Nux-v; PETR; PUL; *Sep*; *Sil*; SUL; Syph; Tarn; Tub.

- Fond of, was+: Cact.

- Fresh: Thu.

- Salted: Card-m.

Members of the family: Crot-h; Flu-ac; Iod; Kali-p; Lyc; Pho; Plat; Senec; *Sep*.

- Children, one's own: Lyc; Pho; Plat.

- Husband: Glo; Nat-c; *Sep*; Thu.

- Mother: Thu.

- Talks, pleasantly to others: Flu-ac.

- Wife: Ars; Nat-s; Plat; Stap.

Men (Females): Nat-m; Sep.

Milk: Ant-t+; Arn; Bry; Fer-p; Guai+; *Ign*; Lac-d; Nat-c; Pul; *Sep*; *Sil*.

- But relishes it: Bry.

- Mother's: Cina; *Sil*.

Music (See MUSIC agg): Nux-v; *Sep*; Vio-o.

- Violin: Vio-o.

Night, of: Buf.

Noise (See NOISE, agg): Asar; Bor; Con; Kali-c; Op.

Nourishment, all kind of+: Ant-t.

AVERSIONS

Onions: Saba.
Oysters: Pho.
Persons, to certain: Am-m; Calc; Hep; Nat-c.
 • Sight, of: Cic.
 • Who do not agree, with him: Calc-s.
Pickles: Ab-c.
Places: Hep.
Play (child): Hep.
Plums: Bar-c.
Pork: Colch; Dros; Psor; Pul.
Potatoes: Alu; Cam; Thu.
Puddings: Pho; Ptel.
Religious, to opposite sex: Lyc; Pul; Sul.
Riding in carriage: Psor.
Salt food: Carb-v; Cor-r; *Grap*; Nat-m; Sele; Sep.
Sauerkraut: Hell.
School, to: Calc-p; Nat-m.
Sitting: Iod; Lach.
Snuff: Spig.
Society: Anac; Nat-c; Stan; Syph.
Soup: Arn; *Grap*; Lyc; Rhus-t.
Sour things: See Acids.
Spoken to: Cham.
Sweets: Ars+; Bar-c; CAUS; *Grap*; Lac-c; Nit-ac; Radm; Senec; Sul.
Talk, to: See TACITURN.
Tea: Pho.
Thinking: Pho; Pho-ac.
Tabacco: Arn; *Calc*; IGN; Lob; Nat-m; *Nux-v*.
 • To his accustomed cigar: Bro; Fer; *Ign*.

AVERSIONS

Touched: See Approached.
Veal: Zin.
Vegetables: Hell; Mag-c.
Water (See THIRSTLESS): Am-c; *Hyo*; *Nux-v*; *Stram*.
 • Cannot bear touch of it: Am-c.
 • Pregnancy, during: Pho.
 • Thinking of it agg: Ham.
 • Thirst, with: Hell.
Wine: LACH; Manc+; Merc; *Saba*; Sul.
Women: Dios; Lach; Pul.
 • Men, to: Nat-m; Sep.
 • To her own sex: Raph.
Work, for: Alo; Arg-n; Bap; Carb-v; Chel; *Chin*; CON; Cyc; GRAP; Ham; Lach; Meph+; Mill+; NAT-M; *Nux-v*; *Pho*; Pul; Psor; Rhod+; Rhus-t; Sul; Zinchr.
 • Customary: Sep.
Writing, for: Hyds; Scil.

AWAKES

Anger, in: Cham; *Lyc*.
Anxious: Lyc; Spo.
Bed moving, as if from: Lac-c.
Brain, shock in, with: Coca.
Called, as if: Rhod; Sep.
Coldness of hands and feet, from: *Carb-v*.
Confusion, in: Bov; Chin; Gel; Petr; Pho; Pul.
 • Children: Aesc.
Cough, from: *Hyo*; Pul; Samb; Sul.
Dreams, from: Bell; Lach; Sil; *Sul*.

AWAKES

Erection with, and desire to urinate: Hep.

Exact hour: Sele.

Falling, as if: Guai.

Fever from: Bar-c; Nit-ac; Pho.

Frequently (cat naps): Alu; Bar-c; *Calc*; *Hep*; Mur-ac; Op; *Pho*; *Pul*; Rut+; *Sep*; *Sul*.

Fright, nightmare, etc. in: Arn; Bell; Bor; Cact+; Carb-v; *Cina*; Hyo; *Ign*; Lach; Lyc; Nat-m; Paeon; Sep; Sil; *Stram*; *SUL*; Thu; Tub; Zin.

- Menses, before: Sul-ac.

Heart

- Burning at, with: Benz-ac.
- Tremor, with: Merc.

Hunger, from: Lyc; Pho-ac; Psor.

Jerk, with a: Bell.

Nervous: Rhus-t.

Noise, from very slight: Asar; Calad; Nux-v; Sele.

Palpitation, with: Benz-ac; Calc; Merc; Merc-c; Nat-c; Radm; Sep.

Panting, with: Radm.

Perspiration, from: Ars; *Con*.

Pulse slow, with, at 11 p.m.: Ther.

Sad: Lyc.

Screaming: Stram; Sul.

Shocks, through body, from: Dig; Mag-m.

Singing: Sul.

Sleep, cannot again: Nux-v.

Someone were in room, as if, from: Mag-p.

AWAKES

Stupor, then: Hyo.

Suffocating: Kali-io; Samb; Spo; Val.

- Menses, during: Spo.

Tired (See SLEEP, unrefreshing): *Nat-m*; *Pul*; Rhus-t; *Syph*.

Too early: *Kali-c*; *Nat-c*; Nit-ac; *Nux-v*; *Pic-ac*; *Ran-b*; *Sul*.

Too late: *Calc*; Calc-p; Grap; *Nux-v*; Sep; *Sul*.

Trembling: Ign; Ver-a.

- Heart of, with: Merc.

AWAKENING

AGG (Mental symptoms): Calc; LACH; Lyc; *Stram*; Zin.

After AGG (General): Amb; Am-m; *Ap*; *Ars*; *Bell*; Calc; *Chin*; Caus; Hep; Hyo; Kali-bi; LACH; Lyc; Lycps; Nat-m; Nit-ac; *Nux-v*; Onos; *Op*; *Pho*; *Pul*; Sele; Sep; Spo; *Stram*; *Sul*; Tarn; Tub; Val.

AMEL: Pho; Radm; Sabal; Sep; Val.

And falling to sleep, both AGG: Stan.

AWKWARDNESS (mental, physical) drops things etc:

Aeth; *Agar*; *Amb*; Anac; AP; Bar-c; *Bov*; Calc; Cam+; CAPS; Caus; *Hell*; Ign; Ip; *Lach*; Lol-t; Mos; Nat-m; Tarn.

Pregnancy, during: Calc.

AXILLAE: Carb-an; Carb-v; *Hep*; Pho; Sep; Sil; *Sul*.

Abscess: Hep; Lyc; Merc; Nit-ac; *Pho*; Rhus-t; Sil.

- Delivery, after: Rhus-t.

AXILLAE

Ache, in: Latro.

Acne: Carb-v.

Alternately: Colch.

Boils: Lyc; Pho; Sep.

Bubbling: Colch.

Burning, pressure: Grap.

Cancer: Ast-r.

Eruptions, in: Elap; Lyc; Nat-m; Psor; Sep.

Excoriation: Carb-v; Grap; Mez; Sep; Sul.

Glands, enlarged: Ast-r; Bar-c; Hep; Lach; LYC; *Nit-ac*; *Pho-ac*; Sil; Sul.

- Breast, pain in, with: Lact-ac.
- Hard: Ast-r; Carb-an; Iod; Sil.

Herpes: Carb-an.

Itching: Pho; Sang; Sul.

Lump, bluish, hard, in: Calc-p.

Menses before, agg: Sang.

Scurfs, scabs, in: Nat-m.

Stitches: Caus; Dros; Lyc; Sul.

- Below, left: Stan.

Sweat: Bry; Calc; Dul; Kali-c; *Lapp*; Nat-m; Petr; Rhod; Sele; Sep; Sil; Sul.

- Brown: Lac-c.
- Cold: Lapp.
- Garlicky: Lach; Sul.
- Offensive: Hep; Lapp; Lyc; Nat-s; Nit-ac; Petr; Sil; Sul.
- Onions like: Bov; Kali-p.
- Red: Lach; Nux-m.

Tumours: Ars-io; Bar-c.

Ulcers: Bor.

BACK: AGAR; Ars; Aur; Bell; CALC; Chin-s; *Cimi*; Cocl; Gel; Hypr; Kali-c; *Lach*; Nat-m; Nat-s; *Nux-v*; PHO; Pho-ac; *Pic-ac*; *Rhus-t*; Sec; SIL; Sul; Zin.

Right: Calc; Cic; Flu-ac; Sul; Zin.

- To left: Calc-p; Cocl; Kali-p; Sul; Tell.

Left: Dros; Glo; Sil.

- To right: Bell; Cund; Nat-c; Ox-ac.

Alternating sides: Agar; Bell; *Berb*; Calc; Calc-p; Kali-bi; Kalm.

Abdomen, to: Vario.

Changing, here and there: *Berb*; *Cimi*; Kali-bi.

Chest, into: Arn; *Berb*; Cam; Kali-n; Laur; Petr; Samb; Sars.

- Right: Aco; Calc-p; Kali-c; Lyc; Merc; Sep.
- Left: Bar-c; *Bry*; Mez; Plat; Zin.

Downward: Agar; Pul; Stram.

Forward from

- Scapular region: Bry.
- Left: Pho; Sul; Zin.
- Lumber region: *Berb*; Cham; *Kali-c*; Kre; SABI.
- Pelvis, around: Sabi; Sep; Vib.

Genitals, to: Kre; Sul.

Stomach, to: *Berb*; Cup.

Thighs, down: *Berb*; Caus; *Cimi*; Hep; Kali-c; Vib.

- Stools agg: *Rhus-t*.

Upward: Ars; Gel; Lach; Lil-t; Nit-ac; Pho; Radm; Sul; Zin; Val.

